

The Lowveld has seventy five different types of snakes. Thirty six species are not venomous, while eleven can inflict rather painful bites. Six species are considered potentially deadly.

VERY
DANGEROUS
Has caused
human fatalities

DANGEROUS


Painful bite, but does not require antivenom



Black Mamba (Dendroaspis polylepis)



Black Mamba (Dendroaspis polylepis)



Mozambique Spitting Cobra (Naja mossambica)




Mozambique Spitting Cobra (Naja mossambica) Photo Martin Smi



Snouted Cobra (*Naja annulifera*)



Snouted Cobra (*Naja annulifera*)



Puff Adder (Bitis arietans arietans)



Puff Adder (Bitis arietans arietans)



Berg Adder
(Bitis atropos) Photo Peter Webb



Rhombic Night Adder (Causus rhombeatus)



Bibron's Stiletto Snake (Atractaspis bibronii) Photo Warren Dick



Bibron's Stiletto Snake (Atractaspis bibronii)



Common Boomslang - male (*Dispholidus typus viridis*)



Common Boomslang - female (Dispholidus typus viridis) Photo André Coetzer



Common Boomslang - juvenile (Dispholidus typus viridis)



Southern Twig Snake (Thelotornis capensis)

JOHAN MARAIS is the author of various books on reptiles including the best-seller A Complete Guide to Snakes of Southern Africa. He is a popular public speaker and offers a variety of courses including Snake Awareness, Scorpion Awareness and Venomous Snake Handling. Johan is accredited by the International Society of Zoological Sciences (ISZS) and is a Field Guides Association of Southern Africa (FGASA) and Travel Doctor-approved service provider. His courses are also accredited by the Health Professions Council of South Africa (HPCSA).

EMERGENCY PROTOCOL

1 Keep the victim calm, immobilized and

IN THE EVENT OF A SNAKE BITE

- 1 Keep the victim calm, immobilized and transport the victim to the closest hospital without delay.
- 2 If the victim stops breathing, resort to artificial respiration or make use of a Bag Valve Mask.
- 3 Call the Poison Information Centre helpline for further advice: 0861 555 777.

DO NOT

- ... apply a tourniquet.
- ... cut and suck the wound.
- ... use ice or very hot water.
- ... give the victim alcohol.
 ... apply electric shock.
- ... inject antivenom randomly.

Antivenom (if required) must be administered by a doctor in a hospital environment.