COMMON SNAKES of STANGER/KWADUKUZA



The Stanger area has around 30 species of snakes. Six species are highly venomous and another three are venomous. Four species are mildly venomous and another one can inflict a nasty bite. The other sixteen species are harmless.

HIGHLY VENOMOUS

Has caused human fatalities

VENOMOUS

Painful bite, but does not require antivenom

MILDLY

Not thought to be harmful

HARMLESS

Not dangerous to humans



Black Mamba
(Dendroaspis polylenis)



Green Mamba (Dendroaspis angusticeps)



Brown Forest Cobra (Naja subfulva)



Mozambique Spitting Cob (Naja mossambica)



Common Night Adder (Causus rhombeatus)



Puff Adder
(Bitis arietans)



Boomslang - male (Dispholidus typus)



Southern Vine Snake
(Thelotronis c. canensis



(Atractaspis bibronii)



Southern African Python
(Python natalensis)



Short-snouted Grass Snake (Psammophis brevirostris)



Herald Snake
(Crotanhoneltis hotaemhoeia




(Philothamnus semivariegatus)



(Philothamnus natalensis)



Boaedon capensis)




JOHAN MARAIS is the author of various books on reptiles including the best-seller A Complete Guide to Snakes of Southern Africa. He is a popular public speaker and offers a variety of courses including Snake Awareness, Scorpion Awareness and Venomous Snake Handling. Johan is accredited by the International Society of Zoological Sciences (ISZS) and is a Field Guides Association of Southern Africa (FGASA) and Travel Doctor-approved service provider. His courses are also accredited by the Health Professions Council of South Africa (HPCSA).

FREE ASI SNAKES APP

Johan Marais | African Snakebite Institute

+27 82 494 2039 | johan@asiorg.co.za





IN THE EVENT OF A SNAKE BITE

EMERGENCY PROTOCOL

- 1 Keep the victim calm, immobilized and transport the victim to the closest hospital without delay.
- 2 If the victim stops breathing, resort to artificial respiration or make use of a Bag Valve Mask.
- 3 Call the Poison Information Centre helpline for further advice: 0861 555 777.

DO NOT-

- ... apply a tourniquet.
- ... cut and suck the wound.
- ... use ice or very hot water.
- ... give the victim alcohol.
- ... apply electric shock.
- ... inject antivenom randomly. Antivenom (if required) must be administered by a doctor in a hospital environment.