DANGEROUS SNAKES OF EAST AFRICA



East Africa has around 223 different species across different habitats. Nineteen species are considered highly venomous and around thirty six species are dangerous or can inflict a painful bite. The rest are mildly venomous or harmless.

HIGHLY **VENOMOUS**

Has caused human fatalities **VENOMOUS**

Painful bite, but does not require antivenom



(Dendroaspis polylepis)

(Naja haje)

(Naja ashei)


(Bitis arietans)



(Dendroaspis angusticeps)



(Dendroaspis jamesoni) - photo Bill Branch




HIGHLY /ENOMOUS **Egyptian Cobra**



(Naja subfulva) - photo Luke Kemp














VENOMOUS Puff Adder



North-east African Carpet Viper (Echis pyramidum)

• —

(Naja pallida)



VENOMOUS

Common Night Adder (Causus rhombeatus)

(Atractaspis sp.) - photo Bill Branch

Stiletto Snake


JOHAN MARAIS is the author of various books on reptiles including the best-seller A Complete Guide to Snakes of Southern Africa. He is a popular public speaker and CEO of the African Snakebite Institute. The African Snakebite Institute (ASI) offers a variety of courses including Snake Awareness, Scorpion Awareness and Venomous Snake Handling. ASI is accredited by the International Society of Zoological Sciences (ISZS) and Travel Doctor-approved service provider. The courses are also accredited by the Health Professions Council of **South Africa (HPCSA)**. ASI is the largest provider of

Free ASI SNAKES App

quality snake handling and safety equipment in Africa.

Johan Marais | African Snakebite Institute

+27 82 494 2039 | johan@asiorg.co.za



EMERGENCY PROTOCOL

IN THE EVENT OF A SNAKE BITE

1 Keep the victim calm, immobilized and transport the victim to the closest hospital without delay.

2 If the victim stops breathing, resort to artificial respiration or make use of a Bag Valve Mask.

3 Call the Poison Information Centre helpline for further advice: +27 861 555 777.

DO NOT —

- ... apply a tourniquet.
- ... cut and suck the wound.
- ... use ice or very hot water.
- ... give the victim alcohol.
- ... apply electric shock.
- ... inject antivenom randomly. Antivenom (if required) must be administered by a doctor in a hospital environment.